

STEERING WHEELS

All ULTRAFLEX steering wheels meet the EEC directive 94/25 requirements about pleasure boats. All steering wheels are CE marked in conformity with the EN 28848 – EN 29775 and ABYC P22 safety standards





- Thermoplastic antishock material
- Standard 3/4" taper
- Complete with hub
- Meet with the EN 28848 and ABYC P22 standards

HARD TOUCH GRIP

V32 - 35458 X Black
V32G - 39282 H Grey
V33 - 35819 L Black
V33G - 37495 J Grey

SOFT TOUCH GRIP REDUCED DIMENSION:

V45 - 37920 H Black
V45W - 38049 P White
V45G/W - 39338 J Grey



ANTIGUA STEERING WHEELS

All ULTRAFLEX steering wheels meet the EEC directive 94/25 requirements about pleasure boats. All steering wheels are CE marked in conformity with the EN 28848 – EN 29775 and ABYC P22 safety standards

- Thermoplastic antishock material
- Standard 3/4" taper
- Complete with hub
- Meet with the EN 28848 and ABYC P22 standards

SOFT TOUCH GRIP

ANTIGUA B/B

- 39189 U

ANTIGUA B/B brc

- 39289 Y

ANTIGUA W/W

- 39190 C

ANTIGUA G/G

- 39274 J

ANTIGUA C/C

- 39275 L



ANTIGUA B/B Black grip - Black spokes
Ø 13.8" (350 mm)



ANTIGUA B/B brc Black grip - Black spokes
Burl wood cap Ø 13.8" (350 mm)



ANTIGUA W/W White grip
White spokes - Ø 13.8" (350 mm)




ANTIGUA G/G Grey grip
Grey spokes - Ø 13.8" (350 mm)



ANTIGUA C/C Beige grip
Beige spokes - Ø 13.8" (350 mm)



All the Antigua steering wheels are provided with an exclusive hub that easily allows the steering wheel to always be aligned properly.



ANTIGUA



35



36

ANTIGUA STEERING WHEELS

All ULTRAFLEX steering wheels meet the EEC directive 94/25 requirements about pleasure boats. All steering wheels are CE marked in conformity with the EN 28848 – EN 29775 and ABYC P22 safety standards

- Thermoplastic antishock material
- Standard 3/4" taper
- Complete with hub
- Meet with the EN 28848 and ABYC P22 standards

WOOD LOOK OR PAINTED GRIP

ANTIGUA BR/B

- 39191 E

ANTIGUA BR/B brc

- 39287 U

ANTIGUA M/B

- 39928 G

ANTIGUA S/B

- 39277 R



ANTIGUA BR/B Burl wood grip
Black spokes - Ø 13.8" (350 mm)




ANTIGUA BR/B brc Burl wood grip - Black
spokes - Burl wood cap - Ø 13.8" (350 mm)



ANTIGUA M/B Mahogany grip
Black spokes - Ø 13.8" (350 mm)



ANTIGUA S/B Silver painted grip
Black spokes - Ø 13.8" (350 mm)



ANTIGUA



All the Antigua steering wheels are provided with an exclusive hub that easily allows the steering wheel to always be aligned properly.



NON MAGNETIC STAINLESS STEEL WHEELS

Non magnetic stainless steel wheels constructed of high grade stainless steel, these wheels have a cast and welded hub and welded spokes at the rim.

- Standard 3/4" taper
- Complete with hub
- Meet with the EN 28848 and ABYC P22 standards

EXCLUSIVE POLYURETHANE "FIRM GRIP"

V70 - 39442 D
V70W - 39929 J

STAINLESS STEEL GRIP

V42 - 37665 F
V43 - 37666 G
V44 - 37667 H
V47 - 39705 K
V48 - 39706 M

POLYURETHANE GRIP

V43 GFC - 38165 Q Grey
V48 GFC - 39336 E Grey

V43 BFC - 38166 R Black
V48 BFC - 39337 G Black

new



V70 Ø 13.8" (350 mm)

new



V70W Ø 13.8" (350 mm)




V42 - V43 - V44 - V47 - V48



V43GFC - V48GFC



V43BFC - V48BFC



V48 - V42 - V43 - V47 - V44

MODEL	A	B	DISH
V48	13.5" - 343 mm	2.5" - 63,5 mm	25°
V42	15.5" - 394 mm	2.5" - 63,5 mm	10°
V43	15.5" - 394 mm	4.25" - 108 mm	25°
V47	18" - 457 mm	3" - 76 mm	10°
V44	20" - 508 mm	3" - 76 mm	10°



37



38

CORSE STEERING WHEELS

All ULTRAFLEX steering wheels meet the EEC directive 94/25 requirements about pleasure boats. All steering wheels are CE marked in conformity with the EN 28848 – EN 29775 and ABYC P22 safety standards

- Standard 3/4" taper
- Die cast aluminum hub included
- Meet with the EN 28848 and ABYC P22 standards

SOFT TOUCH GRIP

CORSE B/S – 38333 O
CORSE B/B – 38332 N
CORSE G/B – 38392 G
CORSE G/S – 38393 H

CORSE W/S – 38334 P
CORSE B/BR/CP – 38163 O

MAHOGANY LOOK GRIP

CORSE M/B – 39935 D

CENTER RINGS (optional)

RING S – 61820 L silver
RING B – 61821 N black



CORSE B/S Black grip - Silver spokes
Ø 13.8" (350 mm)



CORSE B/B Black grip - Black spokes
Ø 13.8" (350 mm)



CORSE G/B Grey grip - Black spokes
Ø 13.8" (350 mm)



CORSE G/S Grey grip - Silver spokes
Ø 13.8" (350 mm)




CORSE W/S White grip - Silver spokes
Ø 13.8" (350 mm)



CORSE B/BR/CP Black grip - Burl wood
center pad Ø 13.8" (350 mm)



CORSE M/B Mahogany grip
Black spokes - Ø 13.8" (350 mm)



CORSE



NISIDA AND SPARGI STEERING WHEELS

All UFLEX steering wheels meet the EEC directive 94/25 requirements about pleasure boats.

All steering wheels are CE marked in conformity with the EN 28848 – EN 29775 and ABYC P22 safety standards

- Standard 3/4" taper
- Die cast aluminum hub included
- Meet with the EN 28848 and ABYC P22 standards

POLYURETHANE SOFT TOUCH GRIP

NISIDA B/B - 61812 M
NISIDA B/S - 61813 P

BLACK SOFT GRIP WITH WOOD LOOK OR PAINTED INSERTS

SPARGI BR/B - 61814 S
SPARGI S/S - 61984 U
SPARGI CB/B - 61815 U
SPARGI M/B - 63744 H
SPARGI M/P - 63745 K

CENTER RINGS (optional)

RING S – 61820 L silver
RING B – 61821 N black

ALSO AVAILABLE
POLISHED SPOKES
FOR ALL SPARGI
WHEELS



NISIDA B/B Black grip - Black spokes
Ø 13.8" (350 mm)



NISIDA B/S Black grip - Silver spokes
Ø 13.8" (350 mm)



SPARGI BR/B Black grip - Burl wood inserts - Black spokes - Ø 13.8" (350 mm)



SPARGI S/S Black grip - Silver painted inserts
Silver spokes - Ø 13.8" (350 mm)



SPARGI CB/B Black grip - Carbon inserts
Black spokes - Ø 13.8" (350 mm)



SPARGI M/B Black grip - Mahogany inserts
Black spokes - Ø 13.8" (350 mm)



SPARGI M/P Black grip - Mahogany inserts
Polished spokes - Ø 13.8" (350 mm)



39



40

STEERING WHEELS

SPARGI AND PALMARIA STEERING WHEELS

All UFLEX steering wheels meet the EEC directive 94/25 requirements about pleasure boats. All steering wheels are CE marked in conformity with the EN 28848 – EN 29775 and ABYC P22 safety standards

- Standard 3/4" taper
- Die cast aluminum hub included
- Meet with the EN 28848 and ABYC P22 standards

BLACK SOFT GRIP WITH PAINTED INSERTS

SPARGI BL/S - 62840 Y
SPARGI R/S - 62841 A
SPARGI Y/S - 62842 C
SPARGI PL/S - 62843 E

PALMARIA BL/B
- 63729 M
PALMARIA R/B
- 63728 K

POLYURETHANE SOFT TOUCH GRIP

PALMARIA B/B
- 63727 H

CENTER RINGS (optional)

RING S – 61820 L silver
RING B – 61821 N black

ALSO AVAILABLE
POLISHED SPOKES
FOR ALL SPARGI
WHEELS



SPARGI BL/S Black grip - Blue inserts
Silver spokes - Ø 13.8" (350 mm)



SPARGI R/S Black grip - Red inserts
Silver spokes - Ø 13.8" (350 mm)



SPARGI Y/S Black grip - Yellow inserts
Silver spokes - Ø 13.8" (350 mm)



SPARGI PL/S Black grip - Purple inserts
Silver spokes - Ø 13.8" (350 mm)



PALMARIA BL/B Black grip - Blue inserts
Black spokes - Ø 13.8" (350 mm)



PALMARIA R/B Black grip - Red inserts
Black spokes - Ø 13.8" (350 mm)



PALMARIA B/B Black grip
Black spokes - Ø 13.8" (350 mm)

UFLEX STEERING WHEELS

All UFLEX steering wheels meet the EEC directive 94/25 requirements about pleasure boats. All steering wheels are CE marked in conformity with the EN 28848 – EN 29775 and ABYC P22 safety standards

- Standard 3/4" taper
- Die cast aluminum hub included
- Meet with the EN 28848 and ABYC P22 standards

120° THREE SPOKE WHEELS

PONZA S/S - 61816 W
PONZA II S/S - 61817 Y
PONZA BL/S - 62845 J
PONZA R/S - 62846 L
PONZA Y/S - 62847 N
PONZA PL/S - 62844 G

PONZA WHEEL WITH SPEED KNOB

PONZA K/S - 62881 N
SPEED KNOB - 62848 R
(optional)

ALSO AVAILABLE
POLISHED SPOKES
FOR PONZA WHEELS



PONZA S/S Silver grip - Silver spokes
Ø 13.8" (350 mm)



PONZA II S/S Silver grip - Silver spokes
Ø 15.7" (400 mm)



PONZA BL/S Blue grip - Silver spokes
Ø 13.8" (350 mm)



PONZA R/S Red grip - Silver spokes
Ø 13.8" (350 mm)



PONZA Y/S Yellow grip - Silver spokes
Ø 13.8" (350 mm)



PONZA PL/S Purple grip - Silver spokes
Ø 13.8" (350 mm)



PONZA K/S Silver grip - Silver spokes
Ø 13.8" (350 mm) with speed knob



SPEED KNOB



41



42

VULCANO STEERING WHEELS

All UFLEX steering wheels meet the EEC directive 94/25 requirements about pleasure boats. All steering wheels are CE marked in conformity with the EN 28848 – EN 29775 and ABYC P22 safety standards

- Standard 3/4" taper
- Die cast aluminum hub included
- Meet with the EN 28848 and ABYC P22 standards

POLYURETHANE SOFT TOUCH GRIP

VULCANO B/S -
63108 C

BLACK SOFT GRIP WITH WOOD LOOK OR PAINTED INSERTS

VULCANO S/S -
63722 X

VULCANO BR/B -
63110 N

VULCANO BR/B/CP -
63111 R

VULCANO M/B -
63721 V

VULCANO M/P -
63755 N

VULCANO BL/S -
63758 V

VULCANO R/S -
63757 T

CENTER RINGS (optional)

RING S – 61820 L silver

RING B – 61821 N black



VULCANO B/S Black grip
Silver spokes Ø 14.1" (360 mm)



VULCANO S/S Black grip - Silver inserts
Silver spokes Ø 14.1" (360 mm)



VULCANO BR/B Burl wood inserts
Black spokes - Ø 14.1" (360 mm)



VULCANO BR/B/CP Burl wood inserts
Black center pad - Ø 14.1" (360 mm)



VULCANO M/B Mahogany inserts
Black spokes Ø 14.1" (360 mm)



VULCANO M/P Mahogany inserts
Polished spokes - Ø 14.1" (360 mm)



VULCANO BL/S Blue painted inserts
Silver spokes - Ø 14.1" (360 mm)



VULCANO R/S Red painted inserts
Silver spokes - Ø 14.1" (360 mm)



ALICUDI Ø 13.8" (350 mm)



YACHT STEERING WHEELS



44

Yacht wheels
available in sizes
ranging from
14" - 50" diameter
1" straight and 3/4"
tapered shaft hubs

- Complete with
hub



Type 13
Stainless steel with teak rim,
8 spokes — 16", 20", 24", 28", 32", 36"



Type 28
Anodized aluminum with teak rim
16", 18", 20", 24"



Type 19
Teak wheel with brass caps, 5,6,8 spokes
20", 24", 28", 32", 36", 40", 44", 48"



Type 01
Teak wheel with brass or chrome fittings
14", 16", 18", 20", 22"



Type 14
Stainless wheel, 8 spokes
16", 20", 24", 28", 32", 36"



Type 07
Teak wheel with outer rim and chrome
or brass fittings
28", 32", 36", 40", 46", 50"